SAFETY DATA SHEET

Faron Clean

Printed: 02/19/2016 Revision: 02/26/2015 Supersedes Revision: 09/08/2014

Page: 1

1. Product and Company Identification

Product Code: GC

Product Name: Faron Clean

Company Name: Gold Coast International, Inc.

1800 Goetz Rd. Unit A Perris, CA 92570

Emergency Contact: infotrac (800)535-5053 **Information:** GoldCoastintl.com (951)940-7283

Recommended Use: Hard Surface Cleaner/Degreaser

Intended Use: For sale to, use and storage by service persons only.

2. Hazards Identification

Acute Toxicity: Inhalation, Category 4
Acute Toxicity: Skin, Category 4
Acute Toxicity: Oral, Category 4

Serious Eye Damage/Eye Irritation, Category 2A



GHS Signal Word: Warning

GHS Hazard Phrases: Harmful if inhaled.

Harmful in contact with skin.

Harmful if swallowed.

Causes serious eye irritation.

GHS Precaution Phrases: Use only outdoors or in a well-ventilated area.

Wear protective gloves, protective clothing, eye protection, face protection.

Take off contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product.

Keep out of reach of children. Wash hands thoroughly after handling.

GHS Response Phrases: If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

If on skin (or in hair): Wash with plenty of soap and water. If swallowed: Immediately call a Poison Center or doctor.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

GHS Storage and Disposal

Store in cool dry place at room temperature away from direct sunlight.

Dispose of contents and container according to the local, city, state and federal

regulations.

Potential Health Effects (Acute and Chronic):

Phrases:

Prolonged or repeated skin contact may cause defatting and dermatitis.

Inhalation: May be harmful if inhaled. Inhalation of a mist of this material may cause respiratory tract

irritation.

Skin Contact: Causes skin irritation. May be harmful if absorbed through the skin. Causes skin burns.

Eye Contact: Causes eye irritation. May cause transient corneal injury. Causes eye burns. Produces

irritation, characterized by a burning sensation, redness, tearing, inflammation, and

possible corneal injury.

Ingestion: May cause kidney damage. Harmful if swallowed. Causes burns. Causes gastrointestinal

SAFETY DATA SHEET Faron Clean

Page: 2
Printed: 02/19/2016
Revision: 02/26/2015

Supersedes Revision: 09/08/2014

irritation with nausea, vomiting and diarrhea.

3. Composition/Information on Ingredients

CAS# **Hazardous Components (Chemical Name)** Concentration 112-34-5 Diethylene glycol monobutyl ether Proprietary 6834-92-0 Silicic acid (H2SiO3), Disodium salt Proprietary 166736-08-9 Oxirane, methyl-, polymer with oxirane, Proprietary mono(2-propylheptyl) ether 67-63-0 Isopropyl alcohol Proprietary

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove from exposure and move to fresh air immediately. Get medical aid. If breathed

in, move person into fresh air.

In Case of Skin Contact: Flush skin with plenty of water for at least 15 minutes while removing contaminated

clothing and shoes. Get medical aid if irritation develops or persists.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. Get medical aid immediately. Continue rinsing eyes during transport to

hospital.

In Case of Ingestion: If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by

mouth to an unconscious person. Get medical aid immediately.

Signs and Symptoms Of

Exposure:

Burning sensation, Cough, Wheezing, Laryngitis, Shortness of breath.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: NE

Explosive Limits: LEL: N/A N.E. UEL: N/A N.E.

Autoignition Pt: NE

Suitable Extinguishing Media: In case of fire, use water, dry chemical, chemical foam, or alcohol-resistant foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. Use water spray to

keep fire-exposed containers cool.

Flammable Properties and

Hazards:

No data available.

6. Accidental Release Measures

Environmental Precautions: Avoid release to the environment.

Steps To Be Taken In Case

Use proper personal protective equipment as indicated in Section 8.

Material Is Released Or

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place

Spilled: in suitable container.

SAFETY DATA SHEET

Faron Clean

Printed: 02/19/2016 Revision: 02/26/2015

Page: 3

Supersedes Revision: 09/08/2014

Handling and Storage

Precautions To Be Taken in

Avoid breathing dust, mist, or vapor. Use with adequate ventilation. Avoid contact with

Handling:

eyes, skin, and clothing.

Precautions To Be Taken in

Store in a cool, dry, well-ventilated area away from incompatible substances.

Storing:

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
112-34-5	Diethylene glycol monobutyl ether	No data.	No data.	No data.
6834-92-0	Silicic acid (H2SiO3), Disodium salt	No data.	No data.	No data.
166736-08-9	Oxirane, methyl-, polymer with oxirane, mono(2-propylheptyl) ether	No data.	No data.	No data.
67-63-0	Isopropyl alcohol	PEL: 400 ppm	TLV: 200 ppm STEL: 400 ppm	No data.

Respiratory Equipment

(Specify Type):

Always use a NIOSH approved respirator when necessary.

Wear appropriate protective eyeglasses or chemical safety goggles as described by **Eye Protection:**

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166. Face shield and safety glasses.

Wear appropriate protective gloves to prevent skin exposure. **Protective Gloves:** Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls

Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general (Ventilation etc.): or local exhaust ventilation to keep airborne concentrations below the permissible

exposure limits.

Work/Hygienic/Maintenance

Practices:

Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday.

9. Physical and Chemical Properties

[X] Liquid [] Solid **Physical States:** [] Gas Blue color liquid with solvent odor. Appearance and Odor:

ΝE **Melting Point:**

Boiling Point: > 212.00 F

Decomposition Temperature: NE NE **Autoignition Pt:** Flash Pt: NE

Explosive Limits: LEL: N/A N.E. UEL: N/A N.E.

Specific Gravity (Water = 1): 1.042 Density: ~ 8.69 lbs/gal

Bulk density: NE Vapor Pressure (vs. Air or NE

mm Hg):

Vapor Density (vs. Air = 1): NE **Evaporation Rate:** NE Solubility in Water: 100%

SAFETY DATA SHEET Faron Clean

Page: 4
Printed: 02/19/2016
Revision: 02/26/2015
Supersedes Revision: 09/08/2014

Saturated Vapor NE

Concentration:

Viscosity: NP

 pH:
 11.5 - 12.5

 Percent Volatile:
 No data.

 VOC / Volume:
 < 4.0000 G/L</td>

Particle Size: NE
Heat Value: NE
Corrosion Rate: NE

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid -

Instability:

None.

Incompatibility - Materials To Cationic materials, strong oxidizers, strong acidic materials.

Avoid:

Hazardous Decomposition Or CO, CO2.

Byproducts:

Possibility of Hazardous

Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - None.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available.

CAS# 6834-92-0:

Carcinogenicity/Other

Acute toxicity, LD50, Oral, Mouse, 770.0 MG/KG.

Information:

Results:

Kidney, Ureter, Bladder: Changes in tubules (including acute renal failure, acute tubular

necrosis).

Kidney, Ureter, Bladder: Changes in bladder weight.

Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

- Toxicology Letters., Elsevier Science Pub. B.V., POB 211, 1000 AE, Amsterdam 1000

AE Netherlands, Vol/p/yr: 31(Suppl),, 1986

CAS# 112-34-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65. Carcinogenicity. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. CAS# 67-63-0: Not listed by

ACGIH, IARC, NTP, or CA Prop 65.

SAFETY DATA SHEET

Faron Clean

Page: 5
Printed: 02/19/2016
Revision: 02/26/2015

Supersedes Revision: 09/08/2014

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
112-34-5	Diethylene glycol monobutyl ether	n.a.	n.a.	n.a.	n.a.
6834-92-0	Silicic acid (H2SiO3), Disodium salt	n.a.	n.a.	n.a.	n.a.
166736-08-9	Oxirane, methyl-, polymer with oxirane, mono(2-propylheptyl) ether	n.a.	n.a.	n.a.	n.a.
67-63-0	Isopropyl alcohol	n.a.	3	A4	n.a.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal

regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material.

DOT Hazard Class: UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Not Regulated.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

15. Regulatory Information

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
112-34-5	Diethylene glycol monobutyl ether	CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test; CA PROP.65: No; CA TAC, Title 8: TAC
6834-92-0	Silicic acid (H2SiO3), Disodium salt	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No
166736-08-9	Oxirane, methyl-, polymer with oxirane, mono(2-propylheptyl) ether	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No
67-63-0	Isopropyl alcohol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test; CA PROP.65: No; CA TAC, Title 8: TAC, Title 8

SAFETY DATA SHEET Faron Clean


Page: 6
Printed: 02/19/2016
Revision: 02/26/2015

Supersedes Revision: 09/08/2014

16. Other Information

Hazard Rating System:





HMIS:

Revision Date:

02/26/2015

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.